生体音モニタリングシステム ～ 高齢者のフレイル予防のために

愛知産業大学・教授 西村 雅史

研究の背景と目的

- ・高齢者人口の増加：総人口の30%以上が高齢者
- ・健康寿命の延伸が喫緊の課題（75歳以上が目標）

「食べること」「話すこと」を“音”でモニタリングし、フレイル予防を目指す

食行動の自動認識性能

- ・咀嚼・嚥下のF値は0.9以上
- ・ほぼ問題なく、食行動を捉えることができる
- ・音声認識性能は文字誤り率15%程度
- ・ただし、発話内容把握は十分可能なレベル

食行動の質の自動評価

- ・検出された食行動音区間を自動分析
- ・行動を認識するだけでなく、結果を医療分野に応用
- ・咀嚼の質の自動評価方法の開発^[2]（広島歯学部との共同研究成果）
- ・嚥下の質の自動評価方法の開発^[3]（千葉大工学部、千葉・君津中央病院との共同研究成果）

認識手法の概要^[1]

- ・皮膚に接触させたマイクで生体音を収集(非侵襲)
- ・画像では捉えにくい口腔内行動を捉える

咀嚼音からの咀嚼能力の推定～グルコセンサーと呼ばれる医療機器による推定結果との相関^[2]

若年者・健康高齢者・嚥下障害者の嚥下音の可視化結果^[3]（一例）

まとめと今後の展望

- ・生体音情報から口腔内の食行動を正確に捉え、さらに咀嚼や嚥下の質を評価するに至っている
- ・今後は医療機関との連携をさらに進め、医療分野での実運用を目指す

[1] T.Tsukagoshi et al., Simultaneous Speech and Eating Behavior Recognition Using Data Augmentation and Two-Stage Fine-Tuning, Sensors, Vol.25, No.5 (2025.3)
[2] M.Takeuchi et al., Automatic Chewing Ability Assessment Using a Self-Supervised Learning Model, Journal of Signal Processing, Vol.29, No.4 (2025.7)
[3] R.Ushijima et al., Visualization and Classification of Swallowing Difficulties Using Scatogram-Based CNN, Proceedings of NCSP'25 (2025.2)